



U.S. Department of Transportation


National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.





Case Vehicle (A): 2000 Honda Type: Civic LX, 4-door sedan Driver: 25-year-old female

CDC: 10-LYEW-3

Vehicle (B): 1978 Chevrolet

Type: Malibu Classic, 4-door sedan Driver: Unknown – fled scene

CDC: 01-FZEW-2

SITUATION

(Slide 1) It was dark, there were no streetlights in the area, the weather was clear, and (slide 2) the two-lane asphalt road surface was dry and free of defects. Case vehicle (A) was stopped facing west on the two-lane asphalt road at a T-type intersection with a three-lane north-south road. Vehicle (B) was traveling north at an unknown speed in the northbound lane on the three-lane road, south of the T-type intersection. The driver of case vehicle (A) accelerated into the intersection and started to make a left turn. The driver of vehicle (B) did not stop at the intersection and vehicle (B) struck the left front of case vehicle (A) with its front. The right-front passenger of case vehicle (A) was taken to a local hospital and was treated and released. She later went to her personal physician for further treatment. The driver of case vehicle (A) refused treatment. The driver of vehicle (B) fled the scene. Both vehicles were towed due to damage.

GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 3) Damage to case vehicle (A) was moderate. (Slides 4 and 5) Direct damage began at the left-front bumper corner and extended 131 cm to the rear. (Slide 6) The maximum crush was 9 cm, which occurred at the most forward point of the left-front fender.

(Slide 7) Damage to vehicle (B) was moderate. Direct damage began at the right-front bumper corner and extended 124 cm to the left, resulting in 70-percent vehicle overlap. The maximum crush was 53 cm to the right center of the front bumper. (Slide 8) The right wheelbase was reduced 4 cm and the left wheelbase was reduced 5 cm.

Using the WinSMASH accident-reconstruction program, and (slides 9, 10, 11 and 12) crush profiles measured for case vehicle (A) and (slides 13, 14 and 15) vehicle (B), the following impact severities were calculated:

		Calculated	Velocity Change	- kph (mph)
Vehicle	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	delta V	35 (22)	-23 (-14)	27 (17)
Vehicle (B)	delta V	29 (18)	-28 (-17)	-10 (-6)

DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)

Exterior

On the left side, (slide 16) the fender, the front wheel, the lower A-pillar, and the front door were crushed inward. Both left-side doors were operational. (Slide 17) The left wheelbase was reduced 5 cm.

In the front, (slide 18) the fascia, the bumper, the grille, both headlight assemblies, the hood, and both hood hinges were damaged and deflected to the right. The hood latch was damaged and jammed closed. (Slide 19) The rear edge of the hood was elevated and it contacted and (slide 20) cracked the lower left corner of the windshield. (Slide 21) The right portion of the windshield was cracked due to the deployment of the passenger airbag.

(Slide 22) The right fender was deflected to the right. There was no other right-side damage and (slide 23) no change to the right wheelbase.

(Slide 24) There was no damage to the rear of the vehicle.

Interior

This vehicle was equipped with steering-wheel and passenger frontal-impact airbags, and (slides 25 and 26) both deployed in this left-side impact. There was no damage to the (slides 27 and 28) steering-wheel or (slide 29) passenger airbag module covers. (Slide 30) The deploying passenger airbag cracked the right portion of the windshield. There was no damage to the (slides 31 and 32) steering-wheel rim or (slide 33) spokes. There was no displacement of the steering column. (Slide 34) The vertical console and ashtray were damaged, possibly by occupant contact. (Slide 35) The rear-view mirror was knocked off its mount. (Slides 36, 37 and 38) There was no other interior damage and there were no intrusions.

OCCUPANT KINEMATICS AND INJURIES

(Slide 39) The 5-ft, 8-1/2-in, 130-lb, 25-year-old female driver was wearing the three-point belt, and the frontal-impact airbag deployed in this left-side impact. (Slide 40) There was no webbing imprint on the plastic D-ring or (slides 41 and 42) continuous loop to indicate belt use at the time of the crash, but the lack of witness marks in a near-side impact is not uncommon.

On impact, the driver moved to the left and forward relative to the vehicle interior. Her face contacted the airbag, (slides 43 and 44) as evidenced by the lipstick transfer inside the tether circle on the airbag fabric. She sustained cervical strain, probably due to impact forces. She sustained a contusion over ther left clavicle, probably due to loading by the shoulder belt. She sustained contusions to both knees and legs, due to contact with the knee bolster, (slides 45, 46, 47, 48, 49 and 50) as evidenced by scuff marks.

(Slide 51) The 5-ft, 8-in, 130-lb, 23-year-old female, right-front passenger was wearing the three-point belt, and the passenger frontal-impact airbag deployed in this left-side impact. (Slide 52) A webbing imprint on the plastic D-ring and (slide 53) plastic transferred to the belt webbing indicate belt use at the time of the crash.

On impact, the right-front passenger moved forward and to the left relative to the vehicle interior, into the belt restraint and airbag. Her face contacted the right portion of the passenger airbag, (slides 54, 55 and 56) as evidenced by makeup and lipstick transferred to the airbag fabric. She sustained a fracture to the sternum, probably due to loading by the shoulder belt. She sustained thoracic and lumbar muscle strain, probably due to impact forces and twisting. (Slide 57) There were occupant contact marks on the vertical console, but no injuries were associated with these contacts.

The following tables and attached drawings (slides 58 and 59) summarize the injuries for the two occupants of case vehicle (A).

Occupant: Driver Restraints: 3-point belt worn; frontal-impact airbag deployed

Age: 25 years Stature: 174 cm (5 ft, 8.5 in)

Gender: Female

Mass: 59 kg (130 lb)

			Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Contusion, overlying left clavicle	1		Shoulder belt	
Cervical strain	1		Impact force	Airbag
Contusions, right and left knees	1	Knee bolster		
Contusions, right and left legs	1	Knee bolster		
Maximum A.I.S. Level	<u>1</u>			
Injury Severity Score	<u>2</u>			

Occupant: Right front
Restraints: 3-point belt worn; frontal-impact airbag deployed
Age: 23 years
Stature: 173 cm (5 ft, 8 in)

Gender: Female

Mass: 59 kg (130 lb)

		,	Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Fracture sternum	2		Shoulder Belt	Airbag
Thoracic strain	1		Impact forces/twisting	
Lumbar strain	1		Impact forces/twisting	
Maximum A.I.S. Level	2			
Injury Severity Score	<u>5</u>			

Duplicate columns 1-8 Module G I Format C from the previous card.	<u>0</u> <u>2</u>	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION		ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE	
m m / d d / y y y y		(0) NO	0
HOUR OF COLLISION	, ,	(1) YES (9) UNKNOWN	33
(24 HOUR CLOCK) 21 24		ROAD ALIGNMENT VERTICAL PLANE	
LOCATION		(1) LEVEL (2) CREST OF HILL	3
STATE:		(3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN	34
STATE FIPS CODE	25 2	ROAD ALIGNMENT HORIZONTAL PLANE	
AREA		(1) STRAIGHT	3
(1) URBAN (2) RURAL	1	(2) CURVE (3) T - SHAPED (4) Y - SHAPED	35
(9) UNKNOWN	27	(7) OTHER:	
ENVIRONMENTAL CONDITIONS		SURFACE COVERING	
LIMITED-ACCESS HIGHWAY		(10) DRY	10
(1) YES (9) UNKNOWN	<u>O</u> 28	(21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED	36 37
ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE)		(29) WATER - AMOUNT UNKNOWN (31) SNOW - LOOSE	
(1) 1-LANE		(32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN	
(2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES	$\frac{2}{29}$	(41) ICE	
(5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY	23	(51) SLUSH (61) SPILLED GRAVEL	
(7) OTHER:		(71) OTHER: (99) UNKNOWN	
INTERSECTING RD, TOTAL LANES		VISIBILITY LIMITATION (FOR CASE VEHICLE)	
CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE	3	(0) NONE (1) CLOUDY/DARK	0
(6) NOT APPLICABLE	30	(2) FOG (3) SMOKE	38
TYPE OF ROAD SURFACE		(4) WINDSHIELD CONDITION (5) GLARE (6) RAIN	
(1) ASPHALT	1	(7) OTHER:	
(2) CONCRETE (3) GRAVEL	31	(9) UNKNOWN	
(4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN		VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	
ROAD DEFECTS		(0) NONE (1) BUILDING (2) SIGN	0
(0) NO (1) YES	\wedge	(3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE	39
(1) YES (9) UNKNOWN	32	(5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT	
		(7) OTHER:	
		(o) CHICACOVAIN	

		GENERAL INFORMATION GI-2
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	40	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	8 42	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:
CROSSWIND (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	<u>0</u> 44 <u>5</u> 45	

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN CASE VEHICLE ROLLOVER	O 47	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT	
(0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	48	(7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN DRIVER IMPAIRMENT	55
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	<u>O</u>	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>O</u> 56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN		DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	<u>&</u> <u>0</u>
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	51	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u>O</u> 59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN TOTAL NUMBER	<u>O</u> 52	LIST IMPAIRMENTS MENTION	IED:
OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	53	POST - CRASH DETAIL MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>0</u>	 (1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN 	2 80

ACCIDENT DESCRIPTION: Case vehicle (A) was turning left when	CASE VEHICLE (A): 2000 HONDA CIVIC
it was struck in the left side by uchicle (B).	
	THIRD VEHICLE (C):
	N
B1 >	
B2	
	A2
	7
	A1
	A1

Duplicate columns 1-8 Module O V Format 0 4 from the previous card.	OTHER VEHICLE OV-1
MAKE: Chevrolet MODEL: MAIIDU CLASSIC, 4-door Se	CARGO:
VIN 13 W 1 9 M 8 K 4 0	O D 29
MANUFAC/BODY CODE $ \frac{1}{30} \frac{1}{3} \frac{3}{2} \frac{8}{34} $ - MAKE/MODEL CODE $ \frac{0}{1} \frac{5}{3} \frac{3}{38} $ MODEL YEAR $ \frac{1}{39} \frac{9}{7} \frac{8}{42} $ VEHICLE MASS (kg) $\frac{0}{43}$ $\frac{0}{1} \frac{1}{4} \frac{1}{1} \frac{2}{48}$ IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER NUMBER OF OCCUPANTS $(ENTER 9'S IF UNKNOWN)$ TRAVELING SPEED (km/h) $ \frac{9}{4} \frac{9}{4} \frac{9}{4} \frac{9}{4} $	VEHICLE TYPE PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT (28) INTERMEDIATE (29) FULL MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (33) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER
(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS) (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER) (99) UNKNOWN WHEELBASE (CM) (999) UNKNOWN

Module O V Format 0 2 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

Curb Weight

Rear Overhang

$$\frac{O}{\frac{Q}{22}} \frac{Q}{\frac{Q}{24}} cm$$

$$\frac{1}{\frac{25}{25}} \frac{Z}{\frac{1}{27}} cm$$

Undeformed End Width (UEW)

Engine Displacement

Average Track Width $\frac{9}{13} \frac{9}{9} \frac{9}{15}$ cm

Overall Length $\frac{4}{16} \frac{8}{9} \frac{9}{15}$ cm


Overall Width (OAW) $\frac{1}{19} \frac{8}{2} \frac{2}{21}$ cm


Engine: # of Cylinders

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS







FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{1}{35} \frac{2}{37} \frac{4}{37}$ cm

Front-End Overlap (Percent) = DDL

71%

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

Duplicate columns 1-8 Module V D Format 0 4 from the previous card.	VEHICLE DESCRIPTION	VD-1
MAKE: Honda MODEL: Civic LX, 4-door seden	CARGO:	
VIN <u>1 H G E 5 6 6</u>	72YL	29
MANUFAC/BODY CODE $\frac{1}{30} = \frac{82}{2} = \frac{7}{34}$	STOLEN VEHICLE	
MAKE/MODEL CODE <u>2 3 2 1</u> 38	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 82
MODEL YEAR 2 0 0 0 42	(e) Gradient	
VEHICLE MASS (kg) 0 0 1 1 8	BODY STRUCTURE	7
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) 49 2 0 9 5 8 54	(1) BODY & FRAME (2) UNITIZED (3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME	63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) O 2 56	(E.G. VW BUG) (5) PARTIALLY UNITIZED (7) OTHER:	
TRAVELING SPEED (km/h) 9 9 5	(9) UNKNOWN	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	1 64
VEHICLE TYPE		
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE	4	2
(12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN	(1) FLOOR (2) CONSOLE (3) COLUMN (7) OTHER:	65
(15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH.: (19) PASSENGER VEHICLE, TYPE UNKNOWN	(9) UNKNOWN	
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)	STEERING	,
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	(1) POWER (2) MANUAL (9) UNKNOWN	66
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)	BRAKES	1
(33) PICKUP TRUCK, LARGE (99) UNKNOWN	(1) POWER (2) MANUAL (9) UNKNOWN	67

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2 68	WHEELBASE <i>(cm)</i> (999) Unknown 2 6 7 7 7
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	0 69	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT	2 71 0 72	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY OUT-LINING NEW PERIMETER OF VEHICLE AND SHADING THE DAMAGED AREAS ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.
(2) AIRBAG (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	73 O 74 I 75	4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES: ROOF (REFERENCE TO TOP OF DOOR SILL) OR WINDOW SILL)

Module V D Format 0 2 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

$$\frac{6}{2}$$
 $\frac{8}{24}$ cm

Curb Weight

Rear Overhang

$$\frac{0}{15} \frac{9}{27} \frac{7}{27}$$
 cm

$$\frac{1}{13} \frac{4}{15} \text{ cm}$$

Undeformed End Width (UEW)

$$\frac{0}{25} \frac{9}{4} \frac{7}{8} cm$$

$$\frac{1}{28} \frac{4}{30} cm$$

Average Track Width
$$\frac{1}{13} \frac{4}{4} \frac{8}{5}$$
 cm

Overall Length $\frac{4}{16} \frac{4}{5} \frac{5}{18}$ cm

Engine Displacement

$$\frac{1}{31} \cdot \frac{7}{32}$$


Overall Width (OAW)


Engine: # of Cylinders


$$\frac{\mathcal{O}}{33} \frac{\mathcal{Y}}{34}$$

VEHICLE DAMAGE

MEASUREMENTS IN CENTIMETERS







FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

$$\frac{9}{35} - \frac{9}{37} \text{ cm}$$

Front-End Overlap (Percent) = DDL

9 9 %

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

Duplicate columns 1-8 Module D from the previous card.	A Format 0 2 0 11 12	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	1	
IMPACT SPEED (km/h)	9 9 9	9 9 9
ESTIMATED BY	17	1
_ CRUSH (cm)	<u>O</u> <u>O</u> <u>9</u> 20	0 5 3
CDÇ #1	10. LYEW.3	01.FZEW.Z
CDC #2	98.0000.0	98.0000.0 49
Duplicate columns 1-8 Module D A from the previous card. 9 10	A_Format_0_3	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	13	
IMPACT SPEED (km/h)	14 15 16	35 36 37
ESTIMATED BY	17	38
CRUSH (cm)	18 19 20	39 40 41
CDC #1	21	42
CDC #2	28 34	49
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN	(1) INVESTIGATOR (2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED (998) NOT APPLICABL	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	CDC
(999) UNKNOWN	E SPECIFY:	(9800000) NOT APPLICABLE (9900000) UNKNOWN

Module <u>D</u> <u>A</u> Format <u>0</u> <u>1</u> 12 DAMAGE DA-2 Duplicate columns 1-8 from the previous card. MAXIMUM SHEET METAL CRUSH (cm) (999) UNKNOWN 0 0 $\frac{\mathcal{O}}{16} \stackrel{\mathcal{O}}{=} \frac{\mathcal{O}}{18}$ FRONT RIGHT SIDE 0 0 0 0 9 REAR LEFT SIDE $\frac{\mathcal{O}}{\mathcal{O}} \stackrel{\mathcal{O}}{\longrightarrow} \frac{\partial}{\mathcal{O}}$ 000 **ROOF OTHER** CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE

NOTE: IF CHRONOLOGICAL ORDER

IS UNKNOWN, EVENT ORDER IS OPTIONAL. DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER?

(0) NO (1) YES

IMPACT OBJECT/VEHICLE EVENT IMPACT LOCATION CONFIGURATION NUMBER CONTACTED (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE FOR CODES, SEE TABLE FOR CODES. SEE TABLE ON PAGE DA-3. ON PAGE DA-4. (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN # 1 #2 37 #3 #4 47 #5 52 #6 #7 62

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
 (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDÉSWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT (00)
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- (98)OTHER (DESCRIBE)
- (99)UNKNOWN

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

> 3175 mm (> 125")

SUB-MINI	< 2286 mm (< 90°)
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95" - 99.9")
COMPACT	2540 - 2666 mm (100° - 104.9°)
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124.9")

- MULTIPURPOSE PASSENGER VEHICLE
 - (11) SMALL VAN (MINI)
 - (12) PICKUP

LIMOUSINE

- (14) SMALL UTILITY (WHEELBASE LESS THAN 107". E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°. E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

Bus

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 ∞
- (52) 76 125 cc
- (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 ∞
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CARTI
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY)
- (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION
- (91) GUARD RAIL, MIDDLE OR UNKNOWN
- (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR
- (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module C F from the previous card. 9 1	R Format 0 1 1 12		H RECONSTRUC rΔV	TION CR-1		
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	ECONDARY IMPACT		
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE		
EVENT NUMBER	13	-	47	·		
ΔV (km/h) TOTAL	0 3 5	0 2 9	48 49 50	66 67 68		
LONGITUDINAL*	$\frac{-023}{17}$	$\frac{-}{35} O \frac{2}{38}$	51 54	69 72		
LATERAL* *NOTE: THESE ΔV COMPONENTS MUST INCLUDE SIGN. EXAMPLES: 10 km/h = ± 0.10 -7 km/h = ± 0.07	$\frac{+}{21} \frac{0}{2} \frac{7}{24}$	<u>-</u> <u>0</u> <u>1</u> <u>0</u>	55 58	73 76		
ENERGY DISSIPATED BY CRUSH (M)	<u>O</u> O 8 2 25	<u>Ø</u> <u> </u>	59 62	77 — — 80		
RECONSTRUCTION (01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED	2 2 30		63 64			
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY: WINSMASS	31		65			

•.					
Duplicate columns 1-8 Module C from the previous card.	H RECONSTRUCTES	TION CR-2			
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT	
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE	
EVENT NUMBER	13	· .	47		
EBS (km/h) TOTAL	0 1 3	$\frac{0}{32} \frac{4}{33} \frac{1}{34}$	48 49 50	66 67 68	
LONGITUDINAL*	$\frac{-008}{17}$	$\frac{-}{35} \frac{0}{3} \frac{3}{38}$	51 54	69 72	
LATERAL*	+010	-014			
*NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76	
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>: 0 0 7</u>					
ENERGY DISSIPATED BY CRUSH (kj)	O O 8 2-	$\frac{O}{43} \stackrel{\cancel{1}}{\cancel{1}} \stackrel{\cancel{0}}{\cancel{1}} \frac{O}{46}$	59 62	77 — 80	
RECONSTRUCTION		• ·			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	22				
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH	29 30		63 64	ı	
CONFIDENCE LEVEL					
NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED					
MODE					

2 31

(1) CDC ONLY
(2) CDC & DETAILED DAMAGE
(3) TRAJECTORY & CDC
(4) TRAJECTORY & CDC &
DETAILED DAMAGE
(5) NOT RECONSTRUCTED

COMPUTER PROGRAM SPECIFY: WINSMASH 65

Module C R Format 0 3 9 10 11 12

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

CASE VEHICLE


LOCATOR

3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.

4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L	
1	Begin Lt. Ft. BC 131 cm to REAR	Begin 4. A. BC 187cm to Rean	



DL

UDL

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS NOTE: Fach line in the table below is a senarate

NOTE: Each line in the table below is a separate record (card)					 Duplicate columns 1 - 12 for each completed line. 						
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field L	C ₁	C ₂	c ₃	C ₄	C ₅	C ₆	±D
	4	131	28	187	0	4	5	6	17	28	+93
-	FREESPACE		-/9		ð	0	0	0	-15	-19	
1	ч	131	009	187	000	004	005	006	002	009	+093
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u> 11 12

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE


LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

NOTE: Each line in the table below is a separate record (card).

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Location of Direct Damage	Location of Field L			
- 1	Begin Riff BC 124cm to left	Ft Bunger BC to BC			



DL <u>/24</u>

Duplicate columns 1 - 12 for each completed line.

PLANE:

- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other_
- (9) Unknown

CRUSH PROFILE IN CENTIMETERS

Specific Impact	Plane of Impact	Direct Length	Damage Max	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
Number	C-Measur.	(DDL)	Crush	L	- 1	02	-3	04	05	9	
l	l	124	57	151	6	24	46	57	43	34	+16
	STANF ADjesT.		-1		-1	-1	-1	-1	-1	-1	
	PREC		-7		- 5	-5	-3	-3	-5	-8	
		4									
1	1	124	053	151	000	018	042	953	037	025	+016
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
- 2		74.00									

Duplicate columns 1-8 Module W 10 module w			WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	1 0 0	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 7 4 4 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	LR \$\frac{1}{55}\$
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 21 3 3 3	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:		_	

Duplicate columns 1-8 Module F T Format 0 from the previous card. 9 10 11		FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>8</u>
MAIN TANK LOCATION	<u>322</u>	AUXILIARY TANK LOCATION	888
MAIN FILLER CAP LOCATION	<u>Z/3</u>	AUXILIARY FILLER CAP LOCATION	<u>8</u> 8 8 27
MAIN TANK MATERIAL	<u>3</u>	AUXILIARY TANK MATERIAL	<u>&</u> 28

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Module F L Format 0 1 9 10

FUEL LEAKAGE FL-1

DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.

	1	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF - DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
- #1	14 15			——		21
#2	22 23			. —		29
#3	30 31		_	_		37
#4	38 39			<u> </u>		45
#5	46 47			—		53

LEAKING COMPONENT

TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

DELIVERY SYSTEM

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

EVAPORATIVE EMISSION CONTROL SYSTEM

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

V LOCATION OF LEAK

FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P, BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R, RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D, DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 from the previous card. 9 10 11		Fire	FR-1
WAS THERE FIRE IN (0) NO <u>SKIP</u> PAG (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17


PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 M from the previous card.	flodule <u>E</u> <u>D</u> Format _	0 1	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANC FOR THE FOLLOWING, (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	USE CODES:		STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE (0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE	<u>9</u> 26
HOOD LATCH(ES)-	-RELEASED	<u>O</u>	(CIRCLE EACH) (7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
	-DAMAGED	1 14	COUPLINGDAMAGED	9
	-JAMMED	15	(USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)	9 28
HOOD HINGES-	LEFT, DAMAGED	16		
-1	LEFT, SEPARATED (COMPLETE)			
-F	RIGHT, DAMAGED	18	ENG COMPART TELESCOPING UNIT	
HOOD REMAINED ON VE	RIGHT, SEPARATED (COMPLETE)	0	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	8 8 30
REAR EDGE OF HOOD-	-ELEVATED	1 21	ORIGINAL LENGTH (mm)	
CONTA	ACTED WINDSHIELD	$\frac{1}{2}$	F (OR H):	
-PENET	TRATED WINDSHIELD	$\frac{\overline{o}}{23}$	TELESCOPED LENGTH (mm) G:	
HOOD LATCH LOCATION				
(1) FRONT OF VEHICI (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN		1/24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.) (888) NOT COLLECTED	
ENGINE OR TRANSMIS SEPARATION (COMPLETO (0) NO (1) YES (9) UNKNOWN		<u>O</u> 25	(991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 33

		Exterior Damage	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN	
-A-PILLAR, UPPER LOWER	<u>O</u> 35	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN -FRON	43
-B-PILLAR, UPPER	<u>O</u>	-REAR DOORS JAMMED CLOSED-	<u>Q</u>
LOWER	⊘ 38	USE CODES: (0) NO (1) YES	
-C-PILLAR, UPPER	<u>O</u> 39	(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN -FROM	T <u>O</u>
-D-PILLAR, UPPER	<u>8</u>	-REAR	<u>O</u> 46
LOWER	8 42		


		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE	<u>Õ</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 50
(4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN	8 51
Hatchback One-way		COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	
Two-way or		TRAILER HITCH TYPE (0) NO HITCH	<u>o</u>
Clamshell Single door		BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING)	52
Double door		(4) LOAD EQUALIZING OTHER TYPES	
HOW DID DOOR OPEN DURING COLLISION?		(5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
(0) DOOR DID NOT OPEN OPENED BECAUSE OF	8 48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED		TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	53
(0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	8		

		EXTERIOR DAMAGE B	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>O</u> 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNO WN -FRONT	00
LOWER	<u>O</u> 56	-REAR	63 64 O O 65 66
-B-PILLAR, UPPER	Q 57	DOORS JAMMED CLOSED-	
LOWER	<u>O</u> 58	(0) NO (1) YES	
-C-PILLAR, UPPER	<u>O</u> 59	(8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN -FRONT	0
LOWER	<u>0</u>	-REAR	67 <u>O</u> 68
-D-PILLAR, UPPER	61	VAN REAR DOOR TYPE	
LOWER	8 62	(0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT & LEFT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	8 /69



Duplicate columns 1-8 Module S C Format 0 from the previous card. 9 10 11		STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u> 13	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1, 2, O'CLOCK = 0, 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4 14	(NORMAL STRAIGHT AHEAD) O'CLOCK = 99	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	D 15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70-74 CHALLENGER, 70-74 CAPRI, 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	3	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	0 18	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN ENERGY ABSORBING DEVICE TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL (CONTINUED) STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN ORIGINAL LENGTH (mm) C:	8 8 23 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG (3) OTHER (9) UNKNOWN	33
COMPRESSED LENGTH (mm) D: BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE) OR COMPRESSION (OR EXTRUSION) (mm) C - D (OR E) (TOLERANCE ±10) (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN * (ADD A & B FOR TOTAL COMPRESSION) SHEAR CAPSULE SEPARATION (mm) S (USE AVG. OF LEFT & RIGHT CAPSULES.) LT:	8 8 8 27		
RT: (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8		
COLUMN VERTICAL ROTATION (0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	O 31		
COLUMN LATERAL ROTATION (0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>32</u>		




1				1-
IN	1121	191	CANL	IT_1

<u></u>	·						
		(All Me	Dominant				
Location of		Comparison		Intruded	_		Crush
Intrusion	Intruded Component	Value		Value	=	Intrusion	Direction
			_		=		
			_		=		
				•	=		
-					=		
			-				
					=		
-			_		=		
			_		=		
					=	7	
		***************************************			_=_		
					=		

OCCUPANT CONTACT WORKSHEET

					Γ
					Confidence
	Interior	Occupant	Body		Level of
	Component	No. if	Region		Contact
Contact	Contacted	Known	if Known	Supporting Physical Evidence	Point
Α	Mid IP	DR	Lt. knee	Scuffmark and cracked plastic	1
В	Knee bolster	DR	Lt. leg	Cracked plastic	1
	Steering	DR	Rt. knee	Cracked plastic	1
С	column				
D	Knee bolster	DR	Rt. leg	Scuffmark and cracked plastic	1
	Vertical	RF	Lt. Leg	Cracked plastic	1
· E	console				
_	Vertical	RF	Lt. leg	Scuffmarks and cracked plastic	1
F	console			·	
G	Glove box	RF	Rt. leg	Scuffmark	1
Н	Glove box	RF	Rt. leg	Scuffmark	1
1					
J					

VEHICLE OCCUPANT CONTACT DIAGRAM



CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1) LEFT	(3) RIGHT		INDIVIDUAL SEAT
(1) LEFT	(2) CENTER	(3) RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1) LEFT	(2) LEFT CENTER	(6) RIGHT (3) RIGHT	BENCH: FULL WIDTH 4 PASSENGER
(1) LEFT	(2) CENTER	(5) RIGHT &	BENCH: PARTIAL WIDTH, LEFT
(0) LEFT ((2) CENTER	(5) RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4) ENTIR	E VEHICLE WIDTH		CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ **SEAT-BACK BACK SURFACE**
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE **SEAT-BACK BACK SURFACE**
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER

A-PILLAR

ROOF SIDE RAIL

(51)INSTRUMENT PANEL

A-PILLAR

DOOR PANEL

(52)INSTRUMENT PANEL

A-PILLAR

WINDSHIELD HEADER

(53)DOOR PANEL

B-PILLAR

ROOF RAIL

(54)DOOR PANEL

A-PILLAR **ROOF RAIL**

(55)INSTRUMENT PANEL

FLOOR PAN

A-PILLAR DOOR FRAME

(56)ROOF RAIL

A-PILLAR **B-PILLAR**

WINDOW FRAME

(57) ROOF RAIL

A-PILLAR

B-PILLAR

C-PILLAR

DOOR PANEL

(58)ROOF **ROOF RAIL**

WINDOW FRAME

DOOR PANEL

(59)BACKLIGHT HEADER

ROOF

C-PILLAR

THIRD SEAT-BACK

- (60)ROOF **ROOF RAIL** A-PILLAR B-PILLAR C-PILLAR WINDOW FRAME DOOR PANEL FLOOR PAN
- (61)INSTRUMENT PANEL

TOE PAN

WINDSHIELD HEADER

A-PILLAR

ROOF RAIL

WINDOW FRAME

DOOR PANEL ROOF

(62)ROOF

ROOF RAIL

C-PILLAR

WINDOW FRAME

FLOOR PAN SECOND SEAT

DOOR PANEL

(63)ROOF RAIL ROOF

B-PILLAR

WINDOW FRAME

FLOOR PAN

DOOR PANEL

SECOND SEAT

FRONT SEAT

(64)ROOF RAIL ROOF OR CONVERTIBLE TOP

A-PILLAR

B-PILLAR WINDOW FRAME

WINDOW HEADER

(65)WINDSHIELD WINDSHIELD HEADER **ROOF SIDE RAIL**

(66)WINDSHIELD WINDSHIELD HEADER

A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module from the previous card.	<u>I</u> <u>T</u> Format <u>0</u> <u>1</u> 12	IN ⁻	TRUSION 11-5
WAS THERE OCCUPANT COM (0) NO <u>DO NOT</u> ANSWER NEX (1) YES <u>ANSWER</u> NEXT QUEST (9) UNKNOWN <u>SKIP PAGE</u> .	13 T QUESTION. <u>SKIP PAGE</u> .	WAS INTRUSION CATA (0) NO <u>COMPLETE</u> I (1) YES <u>SKIP</u> PAGE.	PAGE.
from the previous card. NOTE: Each line in the table below INTRUSIONS CODE INTOCODES F	is a separate record (card). Duplicate TRUSIONS IN THIS ORDER: LEFT TO FOR B, F, G, H, I, J ON PAGE IT-3 FOR C ON PAGE IT-4	e columns 1 - 12 for each completed O RIGHT ON ROW; FRONT TO BA	ACK IN VEHICLES.
A B C	D E F ASSOC. MAXIMUM MAXIMUM MA EVENT INTRUSION INTRUSION INTR	G H I XIMUM RUSION OCCUPANT INJURY XIS (cm) NUMBER NUMBER	J K OCCUPANT INJURY
13-14 15-16 17-18	19 20-21 22-23 2	24-25 26-27 28-29	30-31 32-33
0 1	1 T Format 0 3 11 12		
SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM INTRUSION NUMBER CAUSE CODES FOR CAUSE: 13 15 (1) DIRECT IMPACT 16 18 (2) INDUCED DAMAGE 19 21 (9) UNKNOWN	DOOR INTRUSION INTRUSION DAM NUMBER COMP A	OOR COMPONENT RESULT N, CODE COMPONENT MAGED DAMAGED ONENT 1 COMPONENT 2	CODES FOR COMPONENTS (0) NONE (1) A-PILLAR (2) B-PILLAR (3) C-PILLAR (4) LATCH/STRIKER (5) HINGES (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module $\frac{1}{9}$ $\frac{T}{10}$ Format $\frac{0}{11}$ $\frac{2}{12}$

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

										
A	В	C INTRUDING	D ASSOC.	E MAXIMUM	F MAXIMUM	· G MAXIMUM	н	i	J	κ
INTRUSION NUMBER	OCC. SPACE NO.	OR OBJECT	NO.		INTRUSION Y AXIS (cm)		OCCUPANT NUMBER	INJURY NUMBER	OCCUPANT NUMBER	INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8										
0 9										
10										
1 1										
1 2										
<u>1</u> 3										
1 4										
<u>1</u> <u>5</u>										
<u>1</u> <u>6</u>										
1 7			_							
<u>1</u> 8			_							
19										
20										
2 1										
22										
23										
2 4										
2 5										

Duplicate columns 1-8 from the previous card.		Format 0 1 12	I N	TERIOR DAMAGE I	D-1
co	DES: (0) NO (1) YES (3) NO, ar	nd OCCUPANT CONTACT	(4) YES, and (8) NOT APPL (9) UNKNOW		
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF	LEFT RIGHT 0 14 0 16 0 18 0 20 0 21 0 20 0 20 0 20 0 20 0 30 0 30	FRONT FOOT CONTROLS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	O 40 4 O 5 O 5 O 5 O 5 O 5 O 5 O 5 O 5 O 5 O	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLET: HEATER OR A/C DUCTS RADIO OTHER: *	0 5 4 5 4 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0 5 0
OTHER: *	Q 4			REAR WINDOW WINDOW HEADER CONSOLES VERTICAL ROOF	0 69 71


^{*} MORE THAN ONE ITEM MAY BE NOTED.


Duplicate columns 1-8 Module S T from the previous card. 9 10		2 12	SEATS	(ST-1
FRONT SEAT	DRIVER	PASSENR	FRONT SEAT-BACK	DRIVER	PASSENT
TYPE OF FRONT SEAT (00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE (97) OTHER: (99) UNKNOWN	05	<u>O</u> <u>5</u>	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN SEAT-BACK LOCK TYPE (0) NONE	3 30	3 31
TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	(1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	<u>O</u> 20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	22	RECLINER MECHANISM HELD (0) NO (1) YES	36	
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	<u>\$</u>	(8) NOT APPLICABLE (9) UNKNOWN		
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	<u>O</u> 26	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	<u> </u>	2	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	0 41
FRONT SEAT ROTATION (0) NONE APPARENT	0	0	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	1/42	2 43
(U) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	29	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	0/4	<u>O</u> 45

			Se	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSEN'R	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED (1) 2-WAY	46	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	-	<u>\$</u>
(2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Rіднт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	O 50	<u>O</u> 51	(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	,	
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	52	<u>8</u>	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	61 1 63 0 65	S 64 1 66
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	2 54	<u>3</u>	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	<u>8</u>	68
SECOND SEAT	LEFT	Right	EQUIPPED	0	70
TYPE OF SECOND SEAT (0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT	<u>6</u>	<u>6</u>	BACKREST DAMAGED CUSHION DAMAGED	69 71 8 73	70 72 8 74
(5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 58	<u>O</u> 59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7	5

Duplicate columns 1-8 Module A B Format from the previous card.	0 1	AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED DEPLOYED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	(0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE INDT EQUIPPEDINGT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 15	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 18
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	<u>Q</u>
MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	20	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	1/22

AIRBAG NUMBER ON DRIVER SIDE:






Vents: Y N

if yes, how many: ____

, how many: 2 at 11 and 1 O'clock Tethers: Y N
if yes, how many: 2

AIRBAG NUMBER ON PASSENGER SIDE:



NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,

OCCUPANT INFORMATION AND INJURY CLASSIFICATION,

ARE TO BE FILLED IN

FOR EACH CASE VEHICLE OCCUPANT,

WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,

USE ADDITIONAL COPIES

OF PAGES OC-1, OC-2, OC-3,

AND IC-2 TO DESCRIBE THEM

AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 11	2 12	Occupant Information	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	0 / 13 14 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN MASS (kg)	2 5 20 21 2 5 22 23
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	(999) UNKNOWN (130 16) HEIGHT (cm) (999) UNKNOWN (547, 8.5in) SEX (1) MALE (2) FEMALE (9) UNKNOWN	$ \begin{array}{c cccc} 0 & 5 & 9 \\ \hline 24 & 25 & 28 \\ \hline 1 & 7 & 9 \\ \hline 27 & 28 & 29 \\ \hline 30 \end{array} $
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN POSTURE (10) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN	1 O 18 19	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	· O 31 32 O 35

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	8 41
ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE	3/36 / 39	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	7 4 4 45
(0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2/40	HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		Occupant Information	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	SOURCE OF INFORMATION (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module 1
9

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card).


Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

						PRIM	IARY	OIC		А	ssoc	IATE	D OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START (IN 1ST (BILITY (HOF WITH MOST CONTACT A	IN ORDER OF RIZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
01	<u>01</u>	98	87		<u>N</u>	P	I	M	1	_				_	
↑	02	34			5	<u>८</u>	<u>c</u>	I	1	_		_			
	03	56			K	<u>R</u>	<u>c</u>	Ţ	1	_				_	
	04	56			K	<u>८</u>	<u>c</u>	Z	1				_	_	
	05	56			4	R	<u>_</u>	I	1	_				_	
	06	56			_	F	_	I	1					_	
											_	_			
e l					_					_				_	
Dupilcate "Occupant Number" for each line.					_	_	_			_	_		_	_	
umber" fo							_				_	_	_	_	
Supant N						_	_	_	_	_	_		_	_	
cate "Oc					_		_		_		_	_			
- Dupli						_			-	_				_	
					_	_			_	_					
	<u>-</u> _				_		_	_	_					_	
									-	_		_		_	
					_				-		_	_	_	-	
									_	_	_	_		_	

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	
, ,		(13)	
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	
(54)		(24)	COATHOOK
(55)	• •		
	, ,	(22)	, /
(56)	, <i>f</i>	(21)	WINDOW FRAMES (SIDE)
(81)	· · · · · · · · · · · · · · · · · · ·		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	
(57)	BENEATH INSTRUMENT PANEL	(16)	
(53)	PARCEL TRAY	(17)	
(48)		(17)	D-1 IEDAN
(86)	VERTICAL CONSOLE	FLOOR	
(55)	VENTIONE CONCOLE		5.000
(20)	FOOT CONTROLS (INCL. BARKING BOAKS DEDAIL)	(40)	
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
		(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	
(66)	STEERING WHEEL COLUMN	(91)	
(59)	TRANSMISSION LEVER ON COLUMN	· ,	· - · · · · · · · · · · · · · · · · · ·
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)		POOF OR CONVERTING TOR
(82)	INSTRUMENT(S)	(25)	
	· · · · · · · · · · · · · · · · · · ·	(10)	(1)
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	
(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
(67)	IGNITION KEY	(18)	DOME LIGHT
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	
(08)	RADIO (BUILT IN)	(00)	HOLL BAIL
(58)	ADD-ON TAPE DECK, RADIO, A/C	EVTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		
(00)	HOOF MODITIED CONTROLS/CONSULES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
D			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
• •		(64)	TIRES OF CASE VEHICLE
NTERIOR	R-GENERAL	(04)	TITLES OF CASE VEHICLE
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	Provin	CASE VEHICLE BOUNDARY
	•		
(59)	TRANSMISSION LEVER ON STEERING COLUMN		AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
, ,	, , , , , , , , , , , , , , , , , , , ,		
(29)	FRONT SEAT-BACK(S)	(75)	TRUNK OF OTHER VEHICLE
	FRONT SEAT CUSHION	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)		(77)	TIRES OF OTHER VEHICLE
1/	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
		**-*	OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		on think it leads begonibe.
(34)	RESTRAINT SYSTEM WEBBING	PENETO	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)		
, ,	•	(61)	
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
	AIRBAG GAS		
	KNEE RESTRAINT	MISCELL	ANEOUS
(30)	HEAD RESTRAINT	(00)	NO CONTACT (INVALID FIELD FORM CODE)
(42)	CHILD SEAT RESTRAINTS	(38)	OTHER (E.G. FIRE. DESCRIBE)
	CHILD SEAT	(90)	•
	INTERIOR LOOSE OBJECT	1 1	_ · · · _
	OTHER OCCUPANT(S)	(96)	INDUCED
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(97)	EJECTED, UNKNOWN CONTACT
	_ · · · · · · · · · · · · · · · · · · ·	(98)	IMPACT FORCE, "WHIPLASH",
(41)	UNKNOWN INTERIOR SURFACE		HYPEREXTENSION/COMPRESSION
		(00)	I INKNOWN AREA OF CONTACT



CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SEVERITY 55 SYSTEM/ORGAN 4 LESION 55 ASPECT 04 BODY REGION 1

5 SEVERITY (OR "AIS", ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN


Duplicate columns 1-8 Module O C Format from the previous card. 9 10 1	0 2	Occupant Information	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN OCCUPANT POSITION ROW LOCATION (1) FRONT	0 2 13 14 2 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN MASS (kg) (999) UNKNOWN (130 1b) HEIGHT (cm) (999) UNKNOWN	2 3 20 21 2 5 22 23 0 5 9 24 25 26 1 7 3
(2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	SEX (1) MALE (2) FEMALE (9) UNKNOWN	27 28 29 27 30
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	5 17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	<u>O</u> <u>Z</u>
POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS	18 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS (0) NONE	0 5
(70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		(1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH) (9) UNKNOWN	35


		Occupant Information	OC-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O · NO INJURY (1) C · POSSIBLE INJURY (2) B · NON-INCAPACITATING (3) A · INCAPACITATING INJURY (4) K · FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	1 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	<u>\$</u> 8
RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN PASSIVE RESTRAINT SYSTEM (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE DESTRAINT	3 37 38	EJECTION (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 4 4
PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2 40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	1 46

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	SOURCE OF INFORMATION (3) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	7 48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.





INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

Module 1 C Format 0 1 12

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

NOTE: USE ADDITIONAL PAGES IF NECESSARY.

Occ	CUPANT	INJUR	Y CLAS	SIFICATION											
						PRIM	ARY C	OIC		A	SSOC	IATED	OIC		COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAE START V IN 1ST C	BILITY (HOR. WITH MOST CONTACT AF	IN ORDER OF IZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION	ASPECT Q	LESION 3	SYSTEMORGAN &	SEVERITY LO	BODY REGION 1	ASPECT Q	LESION 3	8Y8TEWORGAN 4	SEVERITY U)	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
02	01	34			<u>C</u>	<u>c</u>	F	<u></u>	<u>2</u>						,
†	02	98			B	$\underline{\mathcal{I}}$	T	M	1				_		
	03	98				<u>5</u>									
	<u> </u>						÷	<u>~</u> .		_	_	******	_		
					-					_	_		_		
					-	_		_	-			_	_	_	
					_			_	_		_	_		_	
					_		_	_			_				
-															
ت <u>ت</u> 9					-			_				eriorium.			
for eac					-		_	_	_	_	_				
umber"								_	_	_	_		_	_	
"Occupant Number" for each line.					_	_	_	_	_	_		_			
										_					
Duplicate															
					_			_		_	_	. —	_		
					_	_	_		_	-	_			_	
					-		_		_	_	_	-	_		
					_	_	_	_		_	_				
					_					_		_			

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
		(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	- (24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)		•
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	- (26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
, ,	•	(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL		C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILLAR
(48)	KNEE RESTRAINT	,	
(86)	VERTICAL CONSOLE	FLOOR	
(50)			FLOOR
(28)	FOOT CONTROLS (INCL PARKING BRAKE PEDAL)	(27)	
(20)	, 66, 66, 66, 66, 66, 66, 66, 66, 66, 6	(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)		PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL		FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
	STEERING WHEEL COLUMN		KICKPANEL
(66)	TRANSMISSION LEVER ON COLUMN	(31)	NORPANEL
(59)	! HANSMISSION LEVER ON COLUMN	Poor	
(0.0)	HARDWARE THA PERCIEIC AREA LINEAUOUAN	Roof	0005.00.00\##5070\# 700
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	1 — - 7	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)		SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)		ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT		COAT HOOK
(67)	IGNITION KEY	(18)	DOME LIGHT
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)		
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE (SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
(23)		(00)	OUTSIDE MIRRORS, ANTENNA, TRIM)
	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
(30)	NEW SEXT GOOT IN A EXIST.	(64)	TIRES OF CASE VEHICLE
INTERIO	R-GENERAL	(04)	THIES OF CASE VEHICLE
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	REVOND	CASE VEHICLE BOUNDARY
(59)			AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
	PARKING BRAKE HANDLE (LOCATION UNKNOWN)		
	PARKING BRAKE HANDLE IN FRONT	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	70	OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)		(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
·	FROM CEAT BACK(C)	(75)	TRUNK OF OTHER VEHICLE
	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)		(78)	GROUND
	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
			OR WATER. PLEASE DESCRIBE.)
(33)			
(34)	RESTRAINT SYSTEM WEBBING	PENETR	ATING OBJECTS
	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		OBJECTS (DESCRIBE)
(46)	AIRBAG GAS	, -,	•
(48)		MISCELL	ANEOUS
	HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT RESTRAINTS		OTHER (E.G. FIRE. DESCRIBE)
	CHILD SEAT		SPARE TIRE
	INTERIOR LOOSE OBJECT		INDUCED
	OTHER OCCUPANT(S)	: :	
(52)		(97)	
	UNKNOWN INTERIOR SURFACE	(36)	IMPACT FORCE, "WHIPLASH",
(-1)	CHARLETTI HILMON CON LICE	/AC1	HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT



























st Availabl





























































































PN 23000 #58

CASE NO. 20048 CASE VCHICLE 2008 Female

OCCUPINE Eight frame 25 year aid benale 27 / 7 (m): 173 km (f ft, 8 to 76.55) 58 kg (738 ft 76 57 (m): 75 special belt worse, franket impact along deployed



